

**REPORT OF ANALYSIS No. L8031/22/JSHH**

Client: <b>Vintage Beauty BV, NL-3011 TA Rotterdam, Blaak 520</b>		Sample description ( <i>according to declaration of the Client</i> ) Szemkörnyék Feszesítő Szérum / Eye Firming Serum
Sample received on:	25.01.2022	
Report issued on:	11.02.2022	

**Dermatological test SEMI-OPEN TEST EXPANDED**

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

## **REPORT OF ANALYSIS No. L8031/22/JSHH**

### **THE STUDY IS COMPLIANT WITH**

Regulation of the European Parliament and of the Council (EC) No. 1223/2009 of 30 November 2009 on Cosmetic Products

Cosmetics Europe The Personal Care Association (previously COLIPA) Guidelines Product Test Guidelines for the Assessment of Human Skin Compatibility 1997

Cosmetics Europe The Personal Care Association (previously COLIPA) Guidelines for the Evaluation of the Efficacy of Cosmetic Products 2008

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

**REPORT OF ANALYSIS No. L8031/22/JS HH****LIST OF CONTENTS**

1. Basis of the study
2. Object of the study
3. Qualitative composition of the product
4. Purpose of the study
5. Description of volunteers
6. Testing methodology
7. Date of the study
8. Evaluation parameters
9. Results
  - 9.1. Characteristics of volunteers
  - 9.2. Table of skin response
10. Calculated values
11. Interpretation
12. Conclusion
13. Signatures

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

**REPORT OF ANALYSIS No. L8031/22/JS HH****1. BASIS OF THE STUDY**

Test sample delivered by the Client.

The qualitative composition of the product delivered by the Client.

The results of microbiological purity of the product provided by the Client (or declaration from the Client about microbiological purity) does not apply to low microbiological risk products.

The Client is responsible for compliance with the declared qualitative composition and microbiological purity of the product sample sent for testing.

**2. OBJECT OF THE STUDY**

Parameter	Description
Appearance	Emulsion
Color	Beige
Fragrance	Characteristic for raw materials (or fragrance composition)
Packaging	Replacement packaging containing the name and sample number for testing

**3. QUALITATIVE COMPOSITION OF THE PRODUCT**

The qualitative composition was delivered to the Laboratory by the Client before the start of the study.

**4. PURPOSE OF THE STUDY**

The purpose of the study was to assess irritating properties (skin tolerance) of the product on a healthy adult skin, with applied patch test.

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

## **REPORT OF ANALYSIS No. L8031/22/JSHH**

### **5. DESCRIPTION OF VOLUNTEERS**

The volunteers (50 people) were healthy, 25 people with negative and 25 people with positive allergy history. The selection of the group included the criteria of inclusion and exclusion. General inclusion criteria: healthy men and women over 18 years old, phototype: I-IV on Fitzpatrick scale, Caucasians, skin without irritations and changes requiring pharmacological treatment. General exclusion criteria: volunteers who use any treatment on the skin area subject to the study, volunteers exhibiting or having a known history of acute or chronic dermatological, medical and/or physical conditions that could influence the outcome of the study, pregnant or breastfeeding women or women planning a pregnancy during the study. None of the volunteers reported documented oversensitivity or history of adverse reactions to individual ingredients of the product tested. All the volunteers fulfilled the requirements of inclusion for tests and signed the Informed Consent Form (ICF). Additionally, they were informed on the purpose, methodology of the study and possible adverse effects. The skin at the application spot (arms or interscapular area) was healthy, without lesions. The volunteers were advised to exercise caution in handling the applied contact tests.

### **6. TESTING METHODOLOGY**

The preparation in the appropriate concentration is applied onto filter paper discs of 12 mm diameter, manufactured by SmartPractice® and then fixed to the arm or interscapular area with the use of a sticking patch. Simultaneously, to objectify the results of the study and in order to exclude possible reading errors connected with dermal irritations two control samples (control sample called "blind" and control sample with water) are used. The purpose of this study is to exclude possible reading errors connected with dermal irritations. The results of the study are presented in section 10 of this report. The dermatologist removes the patch 48h after the application and examines the skin response 30 minutes after removal. 72h after the application, the dermatologist examines the skin again for a response. If irritations appear or persist 72h after the application, an additional examination takes place after 96 hours. Determining the response of the skin, the dermatologist assesses the irritating and sensitising effects of the tested product. The study results may be influenced by factors such as lifestyle, stress, diet and environmental conditions, etc.

### **7. DATE OF THE STUDY**

08.02.2022 – 11.02.2022

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

## REPORT OF ANALYSIS No. L8031/22/JSHH

### 8. EVALUATION PARAMETERS

<b>EVALUATION PARAMETERS OF SKIN REACTION</b>	
<b>Erythema</b>	<b>Classification point</b>
No erythema	0
Light erythema	0.5
Erythema and/or papules	1
Erythema and/or papules and/or vesicles	2
Erythema and/or papules and/or vesicles and/or blisters	3
Erythema Bullous and/or ulcerative reaction and/or papules and/or vesicles and/or blisters	4
<b>Edema</b>	<b>Classification point</b>
No edema	0
Very light edema (hardly visible)	1
Light edema	2
Moderate edema (about 1mm raised skin)	3
Strong edema (extended swelling even beyond the application area)	4

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

## REPORT OF ANALYSIS No. L8031/22/JSHH

### 9. RESULTS

#### 9.1. CHARACTERISTICS OF VOLUNTEERS

Table 1

No. of subject	Identification of subject	Beginning of the study	Age	Sex	Phototype
1	CIE.MA	08.02.2022	60	F	II
2	KAR.DA	08.02.2022	44	M	II
3	KOT.AN	08.02.2022	61	M	II
4	SUT.GR	08.02.2022	68	F	II
5	HER.EW	08.02.2022	69	F	II
6	MAC.JO	08.02.2022	61	F	II
7	MAC.ZY	08.02.2022	61	M	II
8	WIE.JU	08.02.2022	50	F	II
9	WIE.RE	08.02.2022	47	M	II
10	ROM.FI	08.02.2022	25	M	II
11	DUR.KR	08.02.2022	30	M	II
12	KUR.AN	08.02.2022	48	F	II
13	LEJ.AN	08.02.2022	40	M	II
14	CIE.AL	08.02.2022	26	F	II
15	STE.JO	08.02.2022	43	F	II
16	KRZ.GR	08.02.2022	37	M	II
17	BIE.IZ	08.02.2022	33	F	II
18	LUC.BA	08.02.2022	26	M	II
19	CYB.KR	08.02.2022	31	M	II
20	RYD.WI	08.02.2022	62	F	II
21	CIB.KA	08.02.2022	35	M	II
22	MLY.MI	08.02.2022	63	F	II
23	POL.EL	08.02.2022	58	F	II
24	SIK.NA	08.02.2022	27	F	II
25	JAG.MA	08.02.2022	61	F	II
			<b>Min</b>	25	<b>No. F phototype I</b>
			<b>Max</b>	69	14
			<b>Average</b>	47	<b>No. M phototype II</b>
					11
					<b>phototype III</b>
					0
					<b>phototype IV</b>
					0

Table 1. Characteristics of volunteers with a negative history of allergy

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

## REPORT OF ANALYSIS No. L8031/22/JSHH

**Table 2**

No. of subject	Identification of subject	Beginning of the study	Age	Sex	Phototype
1	ZIO.HO	08.02.2022	49	F	II
2	RAD.MA	08.02.2022	49	F	II
3	SZY.MA	08.02.2022	50	F	II
4	ZAL.IZ	08.02.2022	43	F	II
5	SZR.MA	08.02.2022	46	F	II
6	SZY.UR	08.02.2022	35	F	II
7	SOS.AG	08.02.2022	33	F	II
8	DUD.IR	08.02.2022	65	F	II
9	KAL.GR	08.02.2022	63	F	II
10	BER.AN	08.02.2022	51	F	II
11	SZY.EW	08.02.2022	45	F	II
12	OGI.AL	08.02.2022	56	F	II
13	KUR.MA	08.02.2022	50	F	II
14	SEK.EL	08.02.2022	68	F	II
15	BRZ.SY	08.02.2022	23	F	II
16	OKU.AG	08.02.2022	49	F	II
17	MAN.MA	08.02.2022	47	F	II
18	SIK.NA	08.02.2022	27	F	II
19	STA.LU	08.02.2022	58	F	II
20	MAR.AN	08.02.2022	50	F	II
21	DAS.EW	08.02.2022	69	F	II
22	TAR.AG	08.02.2022	57	F	II
23	ROZ.AG	08.02.2022	39	F	II
24	LIS.DA	08.02.2022	35	F	II
25	MAC.PA	08.02.2022	36	M	II
		Min	23	No. F	phototype I
		Max	69	24	0
		Average	48	No. M	phototype II
				1	25
					phototype III
					0
					phototype IV
					0

Table 2. Characteristics of volunteers with a positive history of allergy

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)



## REPORT OF ANALYSIS No. L8031/22/JSHH

### 9.2. TABLE OF SKIN RESPONSE

**Table 3**

No.	Evaluation after 48 hours of product application		Evaluation after 72 hours of product application		Evaluation after 96 hours of product application	
	Erythema	Edema	Erythema	Edema	Erythema	Edema
1	0	0	0	0	Examination skipped	
2	0	0	0	0	Examination skipped	
3	0	0	0	0	Examination skipped	
4	0	0	0	0	Examination skipped	
5	0	0	0	0	Examination skipped	
6	0	0	0	0	Examination skipped	
7	0	0	0	0	Examination skipped	
8	0	0	0	0	Examination skipped	
9	0	0	0	0	Examination skipped	
10	0	0	0	0	Examination skipped	
11	0	0	0	0	Examination skipped	
12	0	0	0	0	Examination skipped	
13	0	0	0	0	Examination skipped	
14	0	0	0	0	Examination skipped	
15	0	0	0	0	Examination skipped	
16	0	0	0	0	Examination skipped	
17	0	0	0	0	Examination skipped	
18	0	0	0	0	Examination skipped	
19	0	0	0	0	Examination skipped	
20	0	0	0	0	Examination skipped	
21	0	0	0	0	Examination skipped	
22	0	0	0	0	Examination skipped	
23	0	0	0	0	Examination skipped	
24	0	0	0	0	Examination skipped	
25	0	0	0	0	Examination skipped	

**Table 3. Results for volunteers with a negative history of allergy**

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

## REPORT OF ANALYSIS No. L8031/22/JSHH

**Table 4**

No.	Evaluation after 48 hours of product application		Evaluation after 72 hours of product application		Evaluation after 96 hours of product application	
	Erythema	Edema	Erythema	Edema	Erythema	Edema
1	0	0	0	0	Examination skipped	
2	0	0	0	0	Examination skipped	
3	0	0	0	0	Examination skipped	
4	0	0	0	0	Examination skipped	
5	0	0	0	0	Examination skipped	
6	0	0	0	0	Examination skipped	
7	0	0	0	0	Examination skipped	
8	0	0	0	0	Examination skipped	
9	0	0	0	0	Examination skipped	
10	0	0	0	0	Examination skipped	
11	0	0	0	0	Examination skipped	
12	0	0	0	0	Examination skipped	
13	0	0	0	0	Examination skipped	
14	0	0	0	0	Examination skipped	
15	0	0	0	0	Examination skipped	
16	0	0	0	0	Examination skipped	
17	0	0	0	0	Examination skipped	
18	0	0	0	0	Examination skipped	
19	0	0	0	0	Examination skipped	
20	0	0	0	0	Examination skipped	
21	0	0	0	0	Examination skipped	
22	0	0	0	0	Examination skipped	
23	0	0	0	0	Examination skipped	
24	0	0	0	0	Examination skipped	
25	0	0	0	0	Examination skipped	

**Table 4. Results for volunteers with a positive history of allergy**

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

## REPORT OF ANALYSIS No. L8031/22/JSHH

### 10. CALCULATED VALUES

The following calculated values present the sum of negative reaction (erythema and edema) defined as Average Irritation Index ( $X_{av}$ ).

	Evaluation after 48 hours of product application		Evaluation after 72 hours of product application		Evaluation after 96 hours of product application	
	Erythema	Edema	Erythema	Edema	Erythema	Edema
The sum of negative reaction (the sum of classification points)	0.00	0.00	0.00	0.00	Examination skipped	
X <sub>av</sub>	0.00					

### 11. INTERPRETATION

The average irritation index ( $X_{av}$ ) was calculated. The product was then classified according to the following table:

Average irritation index ( $x_{av}$ )	Class
$X_{av} < 0.50$	Not irritating
$0.50 \leq X_{av} < 2.00$	Slightly irritating
$2.00 \leq X_{av} < 5.00$	Moderately irritating
$5.00 \leq X_{av}$	Highly irritating

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

**REPORT OF ANALYSIS No. L8031/22/JS HH****12. CONCLUSION**

The patch test study was performed under dermatological control on a group of 50 volunteers, including 25 volunteers positive history of allergy/atopy (sensitive skin). The study allows to conclude that product Szemkörnyék Feszítő Szérum / Eye Firming Serum used by volunteers, that didn't report documented oversensitivity or a history of adverse reactions to individual ingredients of the tested product, is well tolerated by the skin. In the tested group of volunteers there were no irritations or allergic reactions. The product meets the requirements of compatibility test with the skin (Skin Compatibility Test) and can be classified as NOT IRRITATING.

Prepared by: Magdalena Wierzbą, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)

**REPORT OF ANALYSIS No. L8031/22/JSHH****13. SIGNATURES**

<b>Technician</b>	<b>Magdalena Wierzba</b>	
<b>Dermatologist - venereologist</b>	<b>Karolina Osiecka (2487308)</b>	
<b>Manager of the Recruitment, Dermatology and Stability Section</b>	<b>Daria Cybula</b>	

The Client is responsible for conformity with the declared quality composition as well as microbiological purity of the delivered samples.  
Attention: The released opinion of dermatological compatibility does not apply to people who are allergic to any ingredient of the tested product.

Prepared by: Magdalena Wierzba, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Daria Cybula, Manager of the Recruitment, Dermatology and Stability Section (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl)